HT-SS1300

http://www.sony.co.uk

This document was created on
18-Dec-2008

Packed with the cutting edge Home Theatre technologies for a true high definition experience. Huge 1000W total power output from sleek floor standing speakers (also available with satellite speakers) let you experience movies the way they were meant to be heard.

Price

sony style Online shop

£339.00

Incl Vat

Features

Please be aware that the features/specifications can differ from country to country.

- 5.1 channel surround sound system with 1000W total power output
- BRAVIA Sync for simple, integrated control with other compatible products
- Sony DIGITAL MEDIA PORT - connect to and release digital music stored on your WALKMAN® or other mp3 players, mobile phones, Bluetooth and Wi-Fi devices
- Portable Audio Enhancer function boosts quality of compressed music such as mp3's
- DCAC - one-push automatic sound set-up for flexible speaker placement and optimum sound quality
- Stylish design integrates seamlessly with a BRAVIA TV and Sony disc players
- Space saving slim centre speaker design
- Multi Channel Linear PCM for true High Definition sound from Blu-ray disc players
- x.v. Colour and 24p True Cinema technology adjusts picture settings to makes movies look as authentic as the original
- 3 HDMI™ inputs (1 out) with pass through of High Definition 1080p
- A/V Sync for perfect sound and image synchronisation with flat panel TVs
- 32-bit S-Master digital amplifier delivers crystal clear CD quality sound for playback faithful to the original source
- Digital Cinema Sound for a true "at the movies" experience
- 60 station preset FM / AM tuner (RDS)

Useful Links

Product support
http://www.sony.co.uk

Technical specifications

Amplifier

4 Ohms1kHz (per channel)	143 W/ch (3 Ohms)
4 Ohms1kHz (L+R)	108 W + 108 W (3 Ohms)
(4 Ohms 1kHz) THD	1%
Power Output (Total)	143 W x5 + 285 W = 1000W
Number of amp. channels	5.1ch
Bi-AMP	NO
Type	Digital
4 Ohm / 8 Ohm Switching	NO
Circuit Device	S-Master
DSP	Sharc
OP processing	NO
Analog Down Mix	NO
Equalizer (F / C / Sur / Sur B) Bass,Mid,Treble	B,T / NO / NO / NO
Subwoofer X`Over	Fix 150Hz
Analog Direct	NO
Pureness Control	NO
Sound Field Link (w Lock)	YES (NO)
Sound Field Program (Movie)	3
Sound Field Program (Music)	6
Sound Field Program (A.F.D)	5
Sound Field Program (2ch)	1
Sound Field Program (Headphone)	0
Front Surround Mode (S-Force)	NO
Portable Audio Enhancer	YES
Cinema Studio EX. A/B/C mode	YES
Digital Concert Hall	NO
X-Round	NO
Speaker Selector	A only
Speaker Terminal	A: Color Socket
Headphone Out	NO

I/Os

USB	NO
DIGITAL MEDIA PORT (Level 1)	1 (NO OSD / NO Video)
IX (Wi-Fi)	Optional
Bluetooth®	Optional
Connect	Optional
iPod®	Optional
Front Input	NO
Audio In / Out (excl. tuner)	3/0
A / V In / Out (S-Video I / O): Including Front AV	NO / NO (NO / NO)

Monitor Out (S-Video Out)	NO (NO)
Component Video In / Out (Pass through)	NO
Component Video D-terminal I/O (grade)	NO
Phono (MM)	NO
Multi-ch In	NO

Digital In/Out

HDMI™	3 / 1
i.Link	NO
Opt. : including Front A/V	2 / 0
Coax.	1 / 0
Digital Input Assign	YES
Pre Out	NO

Decoding Format

DTS HD / DolbyTruHD / Dolby Digital+	NO / NO / NO
LPCM (2ch / 5.1ch / 7.1ch) thru HDMI™	YES / YES / NO
Dolby Digital / DTS	YES / YES
Dolby Digital EX	NO
DTS-ES (MATRIX6.1 / DISCRETE6.1)	NO
DTS 96 / 24	NO
DTS NEO:6	NO
Dolby Prologic	YES
Dolby Prologic II	YES
Dolby Prologic IIx	NO
Dolby Dual Mono	YES
96k / 24Bit PCM	YES

Tuner

XM Radio	NO
Neural Audio	NO
Sirius	NO
RDS	NO
Preset Channel (XM / FM / AM)	0 / 30 / 30
Station Name	YES
Auto Tuning	YES (RM)
Direct Tuning	NO

Video Features

HDMI™ Repeater	YES
Upscaling (Component / HDMI™)	NO / NO
Video Up Converter (S / Component / HDMI™)	NO / NO / NO
Video Down Converter (Digital / Analog)	NO / NO
A / V SYNC (Variable / Fixed)	YES (Variable)
Time (msec)	0-200

Sampling Frequency (96kHz / 48kHz)	96 kHz
Assignable HDMI™ Video IN	NO
Assignable Component Video IN	NO

DCAC (Digital Cinema Auto Calibration)

DCAC (DSP / UCOM)	Silver
Band	6
Mic (STEREO / MONO)	MONO

General

Panel	Mold
Color	Black (Spray)
Remote Commander	RM-AAU023
Display	8 Seg. FL
Multi Channel Decoding Blue LED	NO
Sleep Timer	YES
GUI / OSD	NO
Pin Jack	Nickel
Detouchable AC	NO
AC Outlet (Switched)	NO
Power Requirements	230V 50 / 60Hz
Power Consumption	165 W
Stand by	0.3 W

Speaker cone (Subwoofer)

FTC 28-200Hz THD 1%	NO
Output Power (1% THD)	NO
Output Power (10% THD)	NO
Output Power (RMS)	NO
Unit size	160mm
Center & Surround speaker package	NO
Speaker System	Bass Reflex
Magnetically Shilelded	YES
Auto Power on / off	NO
Number Subwoofer	1

Speaker cone (front speaker)

Unit size for L,R	65 mm
Speaker System	Bass Reflex
Magnetically Shilelded	YES

Speaker cone (surround speaker)

Unit size for Rear	65 mm
Speaker System	Bass Reflex

Magnetically Shilelded	NO

Speaker cone (center speaker)	
Unit size for Center	30 x 60 mm
Speaker System	NO
Magnetically Shilelded	YES

Speaker Connection	
Satellite spks	Push Terminal
Subwoofer	Direct wire

Additional supplied item	
Coaxial cable	NO
Optical cable	NO
Monaural cord (for SW)	NO
Speaker cable	4.5 m x 2

HDMI™ Cable	
Supply speaker socket	NO
Wireless radiator / receiver (supplied)	NO
DVD player (supplied)	NO
Easy set up guide (supplied)	YES
Color label for carton box	NO

Speaker Unit Weight & Dimension	
Front Surround Sound Speaker Left	SS-MSP23F
Front SS L / Size (WxHxD) mm	113 x 830 x 83 (without stand) 315 x 1015~1345 x 315 (with stand)
Front SS L / Weight (kg)	1.7 (without stand) 3.5 (with stand)
Front Surround Sound Speaker Right	SS-MSP23F
Front SS R / Size (WxHxD) mm	113 x 830 x 83 (without stand) 315 x 1015~1345 x 315 (with stand)
Front SS R / Weight (kg)	1.7 (without stand) 3.5 (with stand)
Center Surround Sound Speaker	SS-CNP23
Center Speaker / Size (WxHxL) mm	380 x 50 x 64 (with foot)
Center Speaker / Weight (kg)	0.38
Rear Surround Sound Speaker Left	SS-SRP23F
Rear SS L / Size (WxHxD) mm	108 x 540 x 78 (without stand) 290 x 1045~1235 x 290 (with stand)
Rear SS L / Weight (kg)	1.1 (without stand) 2.8 (with stand)
Rear Surround Sound Speaker Right	SS-SRP23F

Rear SS R / Size (WxHxD) mm	108 x 540 x 78 (without stand) 290 x 1045~1235 x 290 (with stand)
Rear SS R / Weight (kg)	1.1 (without stand) 2.8 (with stand)
Subwoofer	SS-WP23
Subwoofer Size (WxHxD) mm	220 x 395 x 325 (with foot)
Subwoofer Weight (kg)	5.9
Receiver	STR-KS1300
Receiver Size (WxHxD) mm	430 x 66.5 x 335
Receiver Weight (kg)	3.6

© 2002 - 2008 Sony- Terms and Conditions | Privacy statement